CLAIMS

What is claimed is:

1	1. An application programming interface for providing data mining functionality
2 .	comprising:
3	a first layer providing an interface with an application program; and
4	a second layer implementing data mining functionality, the second layer
5	comprising:
6	a data mining object repository maintaining data mining metadata,
7	a plurality of data mining project objects, each data mining project
8	object containing data mining objects created and used by a user,
9	a plurality of data mining session objects, each data mining session
10	object containing data mining processing performed on behalf of a user,
11	a plurality of data mining tables, each data mining table mapping a
12	table or a view in a database,
13	a plurality of data transformation objects, each data transformation
14	object defining computations or manipulations to be performed on data in the
15	database,
16	a plurality of data mining models, each data mining model
17	implementing conditions and decisions, and

- a plurality of data mining result objects, each data mining result object
 generated as a result of scoring or analyzing a data mining model or an input
 dataset.
- 1 2. The application programming interface of claim 1, further comprising a
- 2 plurality of data mining settings objects, each data mining settings object specifying
- 3 a type of model to build and function and model building algorithm specific
- 4 parameters.
- 1 3. The application programming interface of claim 2, wherein the first layer is a
- 2 client-side layer operable to execute on a client computer system.
- 1 4. The application programming interface of claim 3, wherein the second layer
- 2 is server-side layer operable to execute on a server computer system.
- 1 5. The application programming interface of claim 4, wherein the first layer and
- 2 the second layer are implemented in the Java programming language.
- 1 6. The application programming interface of claim 5, wherein the database
- 2 comprises training data to be used to train the data mining models.

- 1 7. The application programming interface of claim 6, wherein the database
- 2 comprises test and evaluation data to be used to test and evaluate the data mining
- 3 models.
- 1 8. The application programming interface of claim 7, wherein the database
- 2 comprises scoring data to be used to score the data mining models.
- 1 9. The application programming interface of claim 8, wherein each data mining
- 2 project object maintains a name space within which data mining objects are named.
- 1 10. The application programming interface of claim 9, wherein a data mining
- 2 project object may be shared among users.
- 1 11. The application programming interface of claim 10, wherein the data mining
- 2 table objects are included in the data mining object repository.
- 1 12. The application programming interface of claim 11, wherein each data
- 2 mining table includes a set of columns of data mining data and associated metadata.
- 1 13. The application programming interface of claim 12, wherein each data
- 2 mining transformation object performs data transformations on a data mining table, a

- 3 data column in a data mining table, a data row in a data mining table, or a value in a
- 4 data row or a data column in a data mining table.
- 1 14. The application programming interface of claim 13, wherein each data
- 2 mining transformation object comprises metadata.
- 1 15. The application programming interface of claim 14, wherein each data
- 2 mining settings object comprises metadata.
- 1 16. The application programming interface of claim 15, wherein each data
- 2 mining model comprises metadata.
- 1 17. The application programming interface of claim 16, further comprising a
- 2 plurality of schema view objects, each schema view object providing access to a data
- 3 table in the data mining object repository.
- 1 18. A computer program product for use in an electronic data processing system,
- 2 comprising:
- a computer readable medium;

4	computer program instructions, recorded on the computer readable medium,
5	executable by a processor, for implementing an application programming interface
6	for providing data mining functionality comprising:
7	a first layer providing an interface with an application program; and
8	a second layer implementing data mining functionality, the second layer
9	comprising:
10	a data mining object repository maintaining data mining metadata,
11	a plurality of data mining project objects, each data mining project
12	object containing data mining objects created and used by a user,
13	a plurality of data mining session objects, each data mining session
14	object containing data mining processing performed on behalf of a user,
15	a plurality of data mining tables, each data mining table mapping a
16	table or a view in a database,
17	a plurality of data transformation objects, each data transformation
18	object defining computations or manipulations to be performed on data in the
19	database,
20	a plurality of data mining models, each data mining model
21	implementing conditions and decisions, and
22	a plurality of data mining result objects, each data mining result object
23	generated as a result of scoring or analyzing a data mining model or an input
24	dataset.

- 1 19. The application programming interface of claim 16, further comprising a
- 2 plurality of data mining settings objects, each data mining settings object specifying
- 3 a type of model to build and function and model building algorithm specific
- 4 parameters.
- 1 20. The computer program product of claim 17, wherein the first layer is a client-
- 2 side layer operable to execute on a client computer system.
- 1 21. The computer program product of claim 18, wherein the second layer is a
- 2 server-side layer operable to execute on a server computer system.
- 1 22. The computer program product of claim 19, wherein the first layer and the
- 2 second layer are implemented in the Java programming language.
- 1 23. The computer program product of claim 20, wherein the database comprises
- 2 training data to be used to train the data mining models.
- 1 24. The application programming interface of claim 21, wherein the database
- 2 comprises test and evaluation data to be used to test and evaluate the data mining
- 3 models.

- 1 25. The computer program product of claim 22, wherein the database comprises
- 2 scoring data to be used to score the data mining models.
- 1 26. The computer program product of claim 23, wherein each data mining project
- 2 object maintains a name space within which data mining objects are named.
- 1 27. The computer program product of claim 24, wherein a data mining project
- 2 object may be shared among users.
- 1 28. The computer program product of claim 25, wherein the data mining table
- 2 objects are included in the data mining object repository.
- 1 29. The computer program product of claim 26, wherein each data mining table
- 2 includes a set of columns of data mining data and associated metadata.
- 1 30. The computer program product of claim 27, wherein each data mining
- 2 transformation object performs data transformations on a data mining table, a data
- 3 column in a data mining table, a data row in a data mining table, or a value in a data
- 4 row or a data column in a data mining table.

- 1 31. The computer program product of claim 30, wherein each data mining
- 2 transformation object comprises metadata.
- 1 32. The computer program product of claim 31, wherein each data mining
- 2 settings object comprises metadata.
- 1 33. The computer program product of claim 32, wherein each data mining model
- 2 comprises metadata.
- 1 34. The computer program product of claim 33, further comprising a plurality of
- 2 schema view objects, each schema view object providing access to a data table in the
- 3 data mining object repository.
- 1 35. The computer program product of claim 34, further comprising a plurality of
- 2 data mining settings objects, each data mining settings object specifying parameters
- 3 for building a particular type of data mining model.
- 1 36. A system for implementing an application programming interface for
- 2 providing data mining functionality comprising:
- a processor operable to execute computer program instructions; and

4	a memory operable to store computer program instructions executable by
5	the processor, the computer program instructions implementing an application
6	programming interface for providing data mining functionality comprising:
7	a first layer providing an interface with an application program; and
8	a second layer implementing data mining functionality, the second layer
9	comprising:
10	a data mining object repository maintaining data mining metadata,
11	a plurality of data mining project objects, each data mining project
12	object containing data mining objects created and used by a user,
13	a plurality of data mining session objects, each data mining session
14	object containing data mining processing performed on behalf of a user,
15	a plurality of data mining tables, each data mining table mapping a
16	table or a view in a database,
17	a plurality of data transformation objects, each data transformation
18	object defining computations or manipulations to be performed on data in the
19	database,
20	a plurality of data mining models, each data mining model
21	implementing conditions and decisions, and
22	a plurality of data mining result objects, each data mining result object
23	generated as a result of scoring or analyzing a data mining model or an input
24	dataset

- 1 37. The system of claim 32, further comprising a plurality of data mining settings
- 2 objects, each data mining settings object specifying a type of model to build and
- 3 function and model building algorithm specific parameters.
- 1 38. The system of claim 33, wherein the first layer is a client-side layer operable
- 2 to execute on a client computer system.
- 1 39. The system of claim 34, wherein the second layer is server-side layer operable
- 2 to execute on a server computer system.
- 1 40. The system of claim 35, wherein the first layer and the second layer are
- 2 implemented in the Java programming language.
- 1 41. The system of claim 36, wherein the database comprises training data to be
- 2 used to train the data mining models.
- 1 42. The system of claim 37, wherein the database comprises test and evaluation
- 2 data to be used to test and evaluate the data mining models.

- 1 43. The system of claim 38, wherein the database comprises scoring data to be
- 2 used to score the data mining models.
- 1 44. The system of claim 39, wherein each data mining project object maintains a
- 2 name space within which data mining objects are named.
- 1 45. The system of claim 40, wherein a data mining project object may be shared
- 2 among users.
- 1 46. The system of claim 41, wherein the data mining table objects are included in
- 2 the data mining object repository.
- 1 47. The system of claim 42, wherein each data mining table includes a set of
- 2 columns of data mining data and associated metadata.
- 1 48. The system of claim 43, wherein each data mining transformation object
- 2 performs data transformations on a data mining table, a data column in a data mining
- 3 table, a data row in a data mining table, or a value in a data row or a data column in a
- 4 data mining table.

- 1 49. The system of claim 48, wherein each data mining transformation object
- 2 comprises metadata.
- 1 50. The system of claim 49, wherein each data mining settings object comprises
- 2 metadata.
- 1 51. The system of claim 50, wherein each data mining model comprises
- 2 metadata.
- 1 52. The system of claim 51, further comprising a plurality of schema view
- 2 objects, each schema view object providing access to a data table in the data mining
- 3 object repository.